



NRNT2.E320908 Switches, Industrial Control - Component

[Page Bottom](#)

Switches, Industrial Control - Component

[See General Information for Switches, Industrial Control - Component](#)

GIGAVAC L L C

E320908

1125 MARK AVE
CARPINTERIA, CA 93013 USA

Industrial control switches, open type, Model(s) GX11 followed by B,C,F, H, J, K, L, S or T followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) GX12 followed by B,C, F, H, J, K, L,S or T followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) GX14 followed by B or C, followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) GX200 followed by B or C, followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) GX21 followed by B,C, F, H, J, K,L,S or T followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) GX23 followed by B or C, followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) GXNC14 followed by B or C, followed by A, B, C or D, may be followed by A

Industrial control switches, open type, Model(s) MX14 followed by B, followed by A.

Marking: Company name and catalog designation on the product or on the smallest unit container in which the product is packaged.

[Last Updated](#) on 2011-07-22

[Questions?](#)

[Print this page](#)

[Notice of Disclaimer](#)

[Page Top](#)

[Copyright © 2011 Underwriters Laboratories Inc.®](#)

The appearance of a company's name or product in this database does not in itself assure that products so identified have been manufactured under UL's Follow-Up Service. Only those products bearing the UL Mark should be considered to be Listed and covered under UL's Follow-Up Service. Always look for the Mark on the product.

UL permits the reproduction of the material contained in the Online Certification Directory subject to the following conditions: 1. The Guide Information, Designs and/or Listings (files) must be presented in their entirety and in a non-misleading manner, without any manipulation of the data (or drawings). 2. The statement "Reprinted from the Online Certifications Directory with permission from Underwriters Laboratories Inc." must appear adjacent to the extracted material. In addition, the reprinted material must include a copyright notice in the following format: "Copyright © 2011 Underwriters Laboratories Inc.®"

An independent organization working for a safer world with integrity, precision and knowledge.

