



0697 DEUTSCH CONNECTOR ASSEMBLY



**FOR USE WITH GX AND MX CONTACTORS FEATURING
INTEGRATED DT08 DEUTSCH CONNECTOR**

0697 (ASSEMBLED)



<u>PART NUMBER</u>	<u>DESCRIPTION</u>
0697-1	STANDARD
0697-2	AUXILIARY
0697-5	LATCHING, LOW SIDE DRIVE WITH AUXILIARY
0697-6	LATCHING, LOW SIDE DRIVE
0697-7	LATCHING, HIGH SIDE DRIVE WITH AUXILIARY
0697-8	LATCHING, HIGH SIDE DRIVE

SEE SHEET 3 FOR PINOUT CONFIGURATIONS

MATING CONNECTOR


DEUTSCH CONNECTOR HOUSING P/N: DT06-08SA
 SOLID CONTACT SOCKET P/N: 0462-201-16141
 WEDGE LOCK P/N: W8S
 SEALING PLUG P/N: 114017

LEADS*


UL3239 20AWG WIRE, 18 INCHES

PINOUT CONFIGURATIONS


0697-1
Standard




0697-2
Auxiliary




0697-5
Latching, Low Side Drive with
Auxiliary



0697-6
Latching, Low Side Drive



0697-7
Latching, High Side Drive with
Auxiliary



0697-8
Latching, High Side Drive

